

**FRIEDMAN & BRUYA, INC.**

**ENVIRONMENTAL CHEMISTS**

Date of Report: 10/09/01  
Date Received: 10/04/01  
Project: Metro KC 24hr PO# M66828  
Date Extracted: 10/05/01  
Date Analyzed: 10/05/01

**RESULTS FROM THE ANALYSIS OF WATER SAMPLES  
FOR TOTAL METALS BY  
INDUCTIVELY COUPLED PLASMA (ICP)  
(METHOD 6010)**

Results Reported as mg/L (ppm)

<u>Sample ID</u> Laboratory ID	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M66828 110032-01	0.49	0.52	0.55	0.07
Method Blank	<0.05	<0.05	<0.05	<0.05

# FRIEDMAN & BRUYA, INC.

## ENVIRONMENTAL CHEMISTS

Date of Report: 10/09/01

Date Received: 10/04/01

Project: Metro KC 24hr PO# M66828

### QUALITY ASSURANCE RESULTS FROM TOTAL METALS BY INDUCTIVELY COUPLED PLASMA (ICP) (METHOD 6010)

Laboratory Code: 110032-01 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	Relative Percent Difference	Acceptance Criteria
Chromium	mg/L (ppm)	0.49	0.52	6	0-20
Copper	mg/L (ppm)	0.52	0.54	4	0-20
Nickel	mg/L (ppm)	0.55	0.57	4	0-20
Zinc	mg/L (ppm)	0.07	<0.05	nm	0-20

Laboratory Code: 110032-01 (Matrix Spike)

Analyte	Reporting Units	Spike Level	Sample Result	% Recovery MS	% Recovery MSD	Acceptance Criteria	RPD (Limit 20)
Chromium	mg/L (ppm)	2	0.49	96	96	80-120	0
Copper	mg/L (ppm)	2	0.52	97	95	80-120	2
Nickel	mg/L (ppm)	4	0.55	99	97	80-120	2
Zinc	mg/L (ppm)	2	0.07	101	102	80-120	1

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	% Recovery LCS	% Recovery LCSD	Acceptance Criteria	RPD (Limit 20)
Chromium	mg/L (ppm)	2	103	103	80-120	0
Copper	mg/L (ppm)	2	105	102	80-120	3
Nickel	mg/L (ppm)	4	104	105	80-120	1
Zinc	mg/L (ppm)	2	107	106	80-120	1

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

110032

## SAMPLE CHAIN OF CUSTODY

MG

10/4/01

AI

Send Report To Gerald A. Thompson  
 Company Alaskan Copper Works  
 Address 628 S. Alaskan St  
 City, State, ZIP Seattle WA 98134  
 Phone # 206-387-8579 Fax # 206-382-8309

SAMPLERS (signature) <u>[Signature]</u>	
PROJECT NAME/NO. <u>METRO KC 24hr</u>	PO # <u>M66828</u>
REMARKS <u>2 day turn around Please</u>	

Page # _____ of _____
TURNAROUND TIME <input type="checkbox"/> Standard (2 Weeks) <input type="checkbox"/> RUSH _____ Rush charges authorized by: _____
SAMPLE DISPOSAL <input type="checkbox"/> Dispose after 30 days <input type="checkbox"/> Return samples <input type="checkbox"/> Will call with instructions

Sample ID	Lab ID	Date Sampled	Time Sampled	Sample Type	# of containers	ANALYSES REQUESTED										Notes
						TPH-Diesel	TPH-Gasoline	BTEX by 8021B	VOCs by 8260	SVOCs by 8270	HFS					
<u>M66828</u>	<u>01</u>	<u>10/4</u>	<u>1:00</u>	<u>H2O</u>	<u>1</u>							<u>✓</u>				

Friedman & Bruya, Inc.  
 3012 16th Avenue West  
 Seattle, WA 98119-2029  
 Ph. (206) 285-8282  
 Fax (206) 283-5044

SIGNATURE	PRINT NAME	COMPANY	DATE	TIME
Relinquished by: <u>[Signature]</u>	<u>GERALD A. Thompson</u>	<u>ACW</u>	<u>10/4/01</u>	<u>1:51 PM</u>
Received by: <u>[Signature]</u>	<u>Fred Wolf</u>	<u>F&amp;B, Inc</u>	<u>10/4/01</u>	<u>5:25 PM</u>
Relinquished by:				
Received by:				

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.  
Charlene Morrow, M.S.  
Yelena Aravkina, M.S.  
Bradley T. Benson, B.S.  
Kurt Johnson, B.S.

3012 16th Avenue West  
Seattle, WA 98119-2029  
TEL: (206) 285-8282  
FAX: (206) 283-5044  
e-mail: fbi@isomedia.com

October 9, 2001

DUPLICATE COPY

INVOICE #01ACU1009-2

Accounts Payable  
Alaskan Copper Works  
628 South Hanford  
Seattle, WA 98134

RE: Project Metro KC 24hr PO# M66828 - Results of testing requested by Gerry Thompson for material submitted on October 4, 2001.

1 sample analyzed for Total Chromium, Copper, Nickel and Zinc by Method 6010B @ \$80 per sample	\$ 80.00
Amount Due .....	\$ 80.00

FEDERAL TAX ID # (b) (6)



FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.  
Charlene Morrow, M.S.  
Yelena Aravkina, M.S.  
Bradley T. Benson, B.S.  
Kurt Johnson, B.S.

3012 16th Avenue West  
Seattle, WA 98119-2029  
TEL: (206) 285-8282  
FAX: (206) 283-5044  
e-mail: fbi@isomedia.com

October 9, 2001

Gerry Thompson, Project Manager  
Alaskan Copper Works  
628 South Hanford  
Seattle, WA 98134


Dear Mr. Thompson:

Included are the results from the testing of material submitted on October 4, 2001 from your Metro KC 24hr PO# M66828 project. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Michael Erdahl  
Project Manager

Enclosures  
ACU1009R.DOC